IWL TR-74-84 c. 1

20081009 213

TECHNICAL REPORT # 74-84

EXTENDABLE VEHICULAR CAMOUFLAGE PAULIN


Final Report

By

John Larry Baer

TECHNICAL LIBRARY
BLDG. 305
ABERDEEN PROVING GROUND, MD.
STEAP-TL

May 1974



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

U. S. ARMY LAND WARFARE LABORATORY

Aberdeen Proving Ground, Maryland 21005

TR-74-81

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products.

## DISPOSITION INSTRUCTIONS

Destroy this report when no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

3. RECIPIENT'S CATALOG NUMBER  5. TYPE OF REPORT & PERIOD COVERED Final Report  6. PERFORMING ORG. REPORT NUMBER
Final Report
6. PERFORMING ORG. REPORT NUMBER
8. CONTRACT OR GRANT NUMBER(*)
10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
200 100 25 6 74
May 1974  13. NUMBER OF PAGES
15. SECURITY CLASS. (of this report) Unclassified
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

Approved for public release; distribution unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

TECHNICAL LIBRARY BLDG. 305 ABERDEEN PROVING GROUND, MD STEAP-TL

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Camouflage

Jeep

Truck Covers

Army Vehicles

Paulin

Concealment

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The feasibility of a quickly extendable vehicular camouflage paulin has been demonstrated on a standard Army 1/4-ton jeep. It survived vehicle runs at 50 mph and was able to be deployed rapidly and easily refolded with minimum training of personnel.

# AD-782102

# TABLE OF CONTENTS

	Page
EPORT DOCUMENTATION PAGE (DD FORM 1473)	iii
LIST OF FIGURES	vii
Introduction	1
Development	1
Fabrication	1
Evaluation	1
Conclusion	10
Recommendations	10
DI CTP I DITTON I I CT	11

# LIST OF FIGURES

Figure No.		Page
1.	Paulin Design Sketch Stowed	2
2.	Paulin Design Sketch Deployed	3
3.	Extendable Vehicular Camouflage Paulin Stowed	4
4.	Extendable Vehicular Camouflage Paulin Deployed	5
5.	Detail of Foliage Stuck in Paulin Pockets	6
6.	Paulin Draped Jeep Against Tree Line at 30 Meters with Paulin Deployed	7
7.	Paulin Draped Jeep Against Tree Line at 125 Meters with Paulin Stowed	8
8.	Paulin Adaptation as Shelter	9

### Introduction:

Instant, or at least speedy, camouflage is needed for any vehicle in a combat zone. Current military vehicles do not have a "built-in" camouflage capability which may be rapidly utilized. Canvas-covered military cargo vehicles have the potential for camouflage if the standard canvas material is replaced by a multi-layer camouflage material. In normal use the top and sides serve the normal function of protection from the elements while providing some camouflage by the nature of the material. When parked, the top can be unfolded and the various layers of camouflage can be deployed around the vehicle to hide it and alter its silhouette. To get underway, the top can be folded rapidly and stowed in its traveling configuration.

Several approaches toward instant camouflage recently investigated have concerned silhouette disruption by fake foliage deployed like a magician's bouquet, sprayed-on expandable foam and terrain reflection by roll-up mirrored materials which obscure the item being camouflaged. The use of a fold-out paulin provides yet another concept.

<u>Development</u>: A comprehensive "Model Study of Instant Vehicular Camouflage" by Franklin Institute Research Laboratories and supporting documentation by Battelle TACTEC (1973) and Dunlap & Associates (1966) provided the basis for LWL's design studies in silhouette disruption and terrain reflection to obscure a vehicle. In addition to this formal data base the idea was generated within the LWL Technical Support Division to convert existing protective canvas tops of current military vehicles into multi-layered tops which could be deployed when needed (see Figure 1 and 2).


Fabrication: To verify the feasibility of the fold-out camouflage concept a prototype paulin was cut and assembled for a standard M151 ½-ton vehicle (jeep). It was designed so that the Velcro edges could serve to hold the folds in place during vehicle operation (see Figure 3) and also to fasten together the edges of the material when deployed (see Figure 4). The material at this time had not been waterproofed but was considered ready for field evaluation.

### Evaluation:

The prototype unwaterproofed paulin was exposed to the rigors of 50 mph operating speeds and showed no signs of becoming unfastened or flapping in the breeze, even after deployment and re-stowage in dusty conditions.


Efforts were made to enhance the effectiveness of the paulin by sticking pieces of foliage into pockets designed into the paulin for this purpose (see Figure 5). Color photographs were made with the paulin draped jeep next to a tree line from a distance of about 30 meters (Figure 6) and 125 meters (Figure 7).

In addition to the purely camouflaging function the paulin, by adding appropriate poles or stakes lends itself to simple adaptation as a shelter or covered mini-command post (Figure 8).



# STOWED CONDITION

Figure 1. Paulin Design Sketch Stowed.



OPEN CONDITION

Figure 2. Paulin Design Sketch Deployed.



Figure 3. Extendable Vehicular Camouflage Paulin Stowed.




Figure 4. Extendable Vehicular Camouflage Paulin Deployed.





Figure 5. Detail of Foliage Stuck in Paulin Pockets.



Paulin Draped Jeep Against Tree Line at 30 Meters with Paulin Deployed. Figure 6.

7

TECHNICAL LIBRARY
BLDG, 305
ARERDEEN PROVING GROUND, MD.
STEAP-TL



Figure 7. Paulin Draped Jeep Against Tree Line at 125 Meters with Paulin Stowed.




Figure 8. Paulin Adaptation as Shelter.

Conclusion: At a very nominal cost, the feasibility of a quickly extendable vehicular camouflage paulin has been demonstrated on a standard Army  $\frac{1}{4}$ -ton jeep. It survived vehicle runs at 50 mph and was able to be quickly deployed and easily refolded with minimum training of personnel.

### Recommendations:

It is recommended that this concept be incorporated into new vehicle tops being procured for ½-ton trucks.

The utility of the concept should be verified with larger Army vehicles such as 3/4-, 2 1/2- and 5-ton trucks. If verified, consideration should be given to making vehicle tops of this type for combat usage for all cargo vehicles.

# DISTRIBUTION LIST

US Army Materiel Command ATTN: AMCDL	¥	1
5001 Eisenhower Avenue Alexandria, VA 22333		
Commander US Army Materiel Command ATTN: AMCRD 5001 Eisenhower Avenue Alexandria, VA 22333		3
Commander US Army Materiel Command ATTN: AMCRD-P 5001 Eisenhower Avenue Alexandria, VA 22333		1
Director of Defense, Research & Engineering Department of Defense WASH DC 20301		1
Director Defense Advanced Research Projects Agency WASH DC 20301		3
HQDA (DARD-DDC) WASH DC 20310		4
HQDA (DARD-ARZ-C) WASH DC 20310		1.
HQDA (DAFD-ZB) WASH DC 20310		1
HQDA (DAMO-PLW) WASH DC 20310		1
Commander Eighth US Army ATTN: EAGO-FD APO San Francisco 96301		1

US Army Training & Doctrine Command ATTN: ATCD Fort Monroe, VA 23651	1
Commander US Army Combined Arms Combat Developments Activity Fort Leavenworth, KS 66027	1
Commander US Army Logistics Center Fort Lee, VA 23801	1
TRADOC Liaison Office HQS USATECOM Aberdeen Proving Ground, MD 21005	1
Commander US Army Test and Evaluation Command Aberdeen Proving Ground, MD 21005	1
US Marine Corps Liaison Officer Aberdeen Proving Ground, MD 21005	1
Commander Aberdeen Proving Ground ATTN: STEAP-TL Aberdeen Proving Ground, MD 21005	2
Commander US Army Edgewood Arsenal ATTN: SMUEA-TS-L Edgewood Arsenal, MD 21010	1
Commander US Army John F. Kennedy Center for Military Assistance Fort Bragg, NC 28307	1
12	

Commander-In-Chief US Army Pacific ATTN: GPOP-FD APO San Francisco 96558	1
Commander Eighth US Army ATTN: EAGO-P APO San Francisco 96301	1
Commander-in-Chief US Army Europe ATTN: AEAGC-ND APO New York 09403	1
Commander US Army Alaska ATTN: ARACD APO Seattle 98749	1
Commander MASSTER ATTN: Combat Service Support & Special Programs Directorate Fort Hood, TX 76544	1
Commander US MAC-T & JUSMAC-T ATTN: MACTRD APO San Francisco 96346	2
Senior Standardization Representative US Army Standardization Group, Australia c/o American Embassy APO San Francisco 96404	1
Senior Standardization Representative US Army Standardization Group, UK Box 65 FPO New York 09510	1
Senior Standardization Representative US Army Standardization Group, Canada Canadian Forces Headquarters Ottawa, Canada K1AOK2	1

Director Air University Library ATTN: AUL3T-64-572 Maxwell Air Force Base, AL 36112	1
Battelle Memorial Institute Tactical Technical Center Columbus Laboratories 505 King Avenue Columbus, OH 43201	1
Defense Documentation Center (ASTIA) Cameron Station Alexandria, VA 22314	12
Office of the Adjutant General Department of Military Affairs 338 Denali Street, 6010 McKay Building Anchorage, AK 99501	1
Director Night Vision Laboratory US Army Electronics Command ATTN: AMSEL-NV-D Fort Belvoir, VA 22060	1
Commander US Air Force Special Communications Center (USAFSS) ATTN: SUR San Antonio, TX 78243	1
Commander US Army Armament Command ATTN: AMSAR-ASF Rock Island, IL 61201	1